



Figure 3









Figure 7



| TDLangModelElement | TDLangElement | TDLangElement | TDLangElement | TDLangElement | 1.1 | 0.* |

Figure 9

+tdLangGroup

TDLangComposedType




Figure 10

TDLangElement
(from TDLang)
dataltem

+dataltem

PlatformCompilerType (from TypeDescriptor)

SplatformCompilerType: String

Figure 11

12	
Figure)

- <eru mention=""> bitModePad (@model6 (@model6 (@model2 /dmode2 /dmode24 /dmode128</eru>
<erumerators- packedbernatSgn (gMNS (gMT,OS2_AIX</erumerators-
<-enmetations scosson (Apeachty (Apeachty (Apeachty (Apeachty) (Apeachty) (Apeachty) (Apeachty)
ccenmeator> leaflype (2/Lepenfed 2/Lepenfed 2/EEEsteroschitz 2/EEEsteroschitz 2/EEEsteroschitz 2/EEEsteroschitz 2/EEEsteroschitz 2/EESteroschitz 2/EESteroschitz 2/EESteroschitz 2/EBN400-bx
<eeumeator> lengtiEncoding including includ</eeumeator>
eeruneator> sigCoding sigCoding sigNesComplement signsed ergin signseComplement signsed ergin signseGomplement signsegilberiers signsegilberiers signsegilberiers signsegilberiers signsegilberiers signsegilberiers

Shyh-Mei F. Ho, et al. SVL920010038U\$1 13/15

